LC-023-LINDRIDE 46

Revision Date 21-Aug-2020



SAFETY DATA SHEET

Issue Date 20-November-2001

Revision Date 21-August-2020

Version 3

1. PRODUCT AND COMPANY IDENTIFICATION

| Product Identifier | |
|---------------------------|--|
| Product Name | |

LINDRIDE 46 (All Types)

LC-023

Other Means of Identification SDS

 Recommended Use of the Chemical and Restrictions on Use

 Recommended Use
 Epoxy curing agent for high performance composites and electronics

Details of the Supplier of the Safety Data Sheet

Supplier Address Lindau Chemicals, Inc. 731 Rosewood Drive Columbia, SC 29201

Emergency Telephone Number

Company Phone Number

Emergency Telephone

Phone: 1-803-799-6863 Fax: 1-803-256-3639 INFOTRAC 01-352-323-3500 (International) 1-800-457-4280 (North America)

2. HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW: The information below relates to repeated and prolonged exposure, particularly where exposure is to the vapor form of the substance. The supplier has indicated that eye exposure normally results in eye irritation.

Classification

| Serious Eye Damage/Eye Irritation | Category 1 |
|-----------------------------------|------------|
| Respiratory Sensitization | Category 1 |
| Skin Sensitization | Category 1 |

Signal Word

Danger

Hazard Statements

H318: Causes serious eye damage

H334: May cause allergy or asthma symptoms or breathing difficulties if inhaled

H317: May cause an allergic skin reaction



Appearance Dark amber liquid

Physical State Liquid

Odor Characteristic

Precautionary Statements - Prevention

P261: Avoid breathing fumes or vapors.

- P272: Contaminated work clothing should not be allowed out of the workplace. P280: Wear protective gloves, protective clothing and eye protection.
- P284: In case of inadequate ventilation wear respiratory protection.

Precautionary Statements - Response

P305 + P351: IF IN EYES: Rinse cautiously with water for several minutes. P338: Remove contact lenses, if present and easy to do. Continue rinsing. P310: Immediately call a POISON CENTER or doctor/physician.

P302 + P352: IF ON SKIN: Wash with plenty of soap and water. P333 + P313: If skin irritation or rash occurs: Get medical advice/attention. P362 + P364: Take off contaminated clothing and wash it before reuse.

P304 + P340: IF INHALED: Remove person to fresh air and keep comfortable for breathing. P342 + P311: If experiencing respiratory symptoms: Call a POISON CENTER or doctor/physician.

Precautionary Statements - Disposal

P501: Dispose of contents/container to an approved waste disposal plant.

Hazards Not Otherwise Classified (HNOC)

Causes mild skin irritation

Other Hazards

Harmful to aquatic life with long lasting effects Harmful to aquatic life

3. COMPOSITION/INFORMATION ON INGREDIENTS

| Chemical Name | CAS No | Weight-% |
|------------------------------------|------------|----------|
| Methyltetrahydrophthalic anhydride | 34090-76-1 | 30–75 |
| Methylhexahydrophthalic anhydride | 19438-60-9 | 20–40 |
| Tetrahydrophthalic anhydride | 85-43-8 | 5–15 |
| Phthalic anhydride | 85-44-9 | < 5 |
| Benzyltriethylammonium chloride | 56-37-1 | < 10 |

** If Chemical Name/CAS No is "proprietary" and/or Weight-% is listed as a range, the specific chemical identity and/or percentage of composition has been withheld as a trade secret.**

4. FIRST AID MEASURES

First Aid Measures

| Inhalation | Remove victim to fresh air and keep at rest in a position comfortable for breathing. If symptoms persist, call a physician. |
|--------------|--|
| Eye Contact | Immediately flush with plenty of water. After initial flushing, remove any contact lenses and continue flushing for at least 15 minutes. Get immediate medical advice/attention. |
| Ingestion | Call immediately a physician or your local Poison Control Center. |
| Skin Contact | Wash with soap and water. Take off contaminated clothing. Wash contaminated clothing before reuse. If skin irritation occurs: Get medical advice/attention. |

Most Important Symptoms and Effects. both Acute and Delayed

| Symptoms | Contact may cause irritation and redness. Direct eye contact may cause stinging, tearing |
|----------|--|
| | and redness. May cause irritation to the mucous membranes and upper respiratory tract. |

Indication of any Immediate Medical Attention and Special Treatment Needed

Note to Physicians Treat symptomatically.

5. FIRE-FIGHTING MEASURES

Extinguishing Media

Suitable MediaDry chemical, carbon dioxide (CO2), water spray (fog)

Unsuitable Media Not determined

Specific Hazards Arising from the Chemical

Burning may produce irritating vapors, carbon monoxide and/or carbon dioxide.

Hazardous Combustion Products Carbon monoxide, carbon dioxide

Protective Equipment and Precautions for Firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

6. ACCIDENTAL RELEASE MEASURES

Personal Precautions, Protective Equipment and Emergency Procedures

| Personal Precautions | Use personal protective equipment as required. Remove all sources of ignition. Ensure adequate ventilation. | | |
|--|--|--|--|
| Environmental Precautions | Avoid subsoil penetration. Prevent product from entering drains. Do not flush into surface water or sanitary sewer system. See Section 12 for additional ecological information. | | |
| Methods and Material for Containment and Cleaning Up | | | |
| Methods for Containment | Provide ventilation and respirator if needed. Flush area with water/soda ash. Keep flames away. Avoid subsoil penetration. Do not let product enter drains or contaminate surface water. | | |
| Methods for Cleaning Up | Absorb spillage with non-combustible, absorbent material. Dispose of in accordance with federal, state and local regulations. Flush area with water and soda ash. | | |

7. HANDLING AND STORAGE

Precautions for Safe Handling

| Advice on Safe Handling | Use only in well-ventilated areas. Use personal protection recommended in Section 8. | | |
|-------------------------|--|--|--|
| | Avoid breathing vapors. Do not take contaminated clothing out of the workplace. | | |

Conditions for Safe Storage. Including any Incompatibilities

| Storage Conditions | Keep containers tightly closed in a dry, cool and well-ventilated place. Store at temperatures above 50°F (10°C) to prevent crystallization. |
|------------------------|--|
| Packaging Materials | Do not transfer to unmarked containers. |
| Incompatible Materials | Alcohols, alkalis, water |

Characteristic

Not determined

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Exposure Guidelines

| Chemical Name | ACGIH TLV | OSHA PEL | NIOSH REL |
|--------------------|----------------------------|-----------------------------------|----------------------------|
| Phthalic anhydride | TWA: 1 ppm | TWA: 2 ppm | IDLH: 60 mg/m ³ |
| 85-44-9 | TWA: 6.1 mg/m ³ | TWA: 12 mg/m ³ | TWA: 1 ppm |
| | | (vacated) TWA: 1 ppm | TWA: 6 mg/m ³ |
| | | (vacated) TWA 6 mg/m ³ | _ |

Control Parameters

| Engineering Controls | Apply technical measures to comply with the occupational exposure limits. |
|----------------------|---|
|----------------------|---|

Individual Protection Measures, such as Personal Protective Equipment

| Eye/Face Protection | Wear approved safety goggles. | |
|-------------------------------------|---|--|
| Skin and Body Protection | Wear chemical resistant, impermeable gloves. Wear suitable protective clothing. | |
| Respiratory Protection | Ensure adequate ventilation, especially in confined areas. | |
| General Hygiene | Handle in accordance with good industrial hygiene and safety practice. | |
| 9. PHYSICAL AND CHEMICAL PROPERTIES | | |

Information on Basic Physical and Chemical Properties

| Physical | State |
|----------|-------|
| Appeara | nce |
| Color | |

Property

pН **Melting Point/Freezing Point Boiling Point/Boiling Range** Flash Point **Evaporation Rate** Flammability (Solid, Gas) **Upper Flammability Limit** Lower Flammability Limit Vapor Pressure Vapor Density **Specific Gravity** Water Solubility Solubility in Other Solvents **Partition Coefficient Autoignition Temperature Decomposition Temperature Kinematic Viscosity** Dynamic Viscosity **Explosive Properties Oxidizing Properties** Additional Information

Liquid Dark amber liquid Dark amber

Values

Not determined Not determined > 307 °C / > 585 °F > 135 °C / > 275 °F zero n/a-liquid Not applicable Not applicable 0 mm Hg 5.7 1.21 Negligible Not determined Volatile by volume 0% Remarks/Method ASTM D-86 (PM) (butyl acetate = 1)

Odor Threshold

Odor

@ 15 °C (air = 1) (water = 1) @ 25 °C

10. STABILITY AND REACTIVITY

Reactivity

Not reactive under normal conditions

Chemical Stability

Stable under recommended storage conditions

Possibility of Hazardous Reactions

None under normal processing

Hazardous Polymerization Hazardous polymerization does not occur.

Conditions to Avoid

Slowly hydrolyzed by water. Reacts with incompatible materials.

Incompatible Materials

Alcohols, alkalis, water

Hazardous Decomposition Products

Carbon monoxide, carbon dioxide

11. TOXICOLOGICAL INFORMATION

Information on Likely Routes of Exposure

Product Information

| Inhalation | Harmful if inhaled. May cause allergy or asthma symptoms or breathing difficulties if inhaled. |
|--------------|---|
| Eye Contact | Causes serious eye damage |
| Ingestion | May cause burns of the mouth, throat and gastrointestinal tract. Normal handling and hygiene precautions should always be taken to avoid ingestion. |
| Skin Contact | May cause mild skin irritation. May cause allergic skin reaction. |

Component Information

| Chemical Name | Oral LD50 | Dermal LD50 |
|--|--------------------|--------------------|
| Methyltetrahydrophthalic anhydride 34090-76-1 | 2140 mg/kg (Rat) | |
| Tetrahydrophthalic anhydride 85-43-8 | 5410 mg/kg (Rat) | |
| Phthalic anhydride 85-44-9 | 1530 mg/kg (Rat) | > 10 g/kg (Rabbit) |
| Benzyltriethylammonium chloride 56-37-1 | > 2000 mg/kg (Rat) | > 2000 mg/kg (Rat) |

Information on Physical, Chemical and Toxicological Effects

Symptoms Please see Section 4 of this SDS for symptoms.

Delayed and Immediate Effects as well as Chronic Effects from Short-term and Long-term Exposure

| Sensitization | May cause allergy or asthma symptoms or breathing difficulties if inhaled. May cause an allergic skin reaction. |
|-----------------|---|
| Carcinogenicity | This product does not contain any carcinogens or potential carcinogens as listed by OSHA, IARC or NTP. |

12. ECOLOGICAL INFORMATION

Ecotoxicity

Harmful to aquatic life. Harmful to aquatic life with long-lasting effects.

| Chemical Name | Algae/aquatic plants EC50 | Fish LC50 | Crustacea EC50 |
|--|--|---|--------------------------------|
| Tetrahydrophthalic anhydride 85-43-8 | Desmodesmus subspicatus 65.7 mg/L 72 h | Leuciscus idus 610 mg/L 48 h (static) | Daphnia magna 117 mg/L 24 h |
| Phthalic anhydride 85-44-9 | | Leuciscus idus 313 mg/L 48 h (static) | |
| Benzyltriethylammonium chloride 56-37-1 | | Pimephales promelas 141–185 mg/L 96 h (flow-through) | |

Persistence and Degradability

Not determined

Mobility

Not determined

Bioaccumulation

| Chemical Name | Partition Coefficient |
|--------------------|-----------------------|
| Phthalic anhydride | 0.73 |
| 85-44-9 | |

Other Adverse Effects

Not determined

13. DISPOSAL CONSIDERATIONS

Waste Treatment Methods

| Disposal of Wastes | Dispose of in accordance with federal, state and furnace or bury with lime in an approved landfill. | • |
|------------------------|---|--|
| Contaminated Packaging | Disposal should be in accordance with applicab regulations. | le regional, national and local laws and |
| Oh anni a al Nianna | BCB A | DCDA Desis familiating |

| Chemical Name | RCRA | RCRA - Basis for Listing |
|-------------------------------|------|--|
| Phthalic anhydride 85-44-9 | U190 | Included in waste streams: F039, K023, K024, K093, K094 |

14. TRANSPORT INFORMATION

Regulatory Entity

| DOT | Not regulated |
|------|---------------|
| ΙΑΤΑ | Not regulated |
| IMDG | Not regulated |

Note

Please see current shipping paper for most up-to-date shipping information, including exemptions and special circumstances.

15. REGULATORY INFORMATION

International Inventories

Components Listed

TSCA, DSL/NDSL, EINECS/ELINCS, ENCS, IECSC, KECI, PICCS, TCSI, AICS, NZIoC

Legend:

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances

ENCS - Japan Existing and New Chemical Substances

IECSC - China Inventory of Existing Chemical Substances

KECI - Korea Existing Chemicals Inventory

PICCS - Philippines Inventory of Chemicals and Chemical Substances

 $\textbf{TCSI} \text{ - } Taiwan \ Chemical \ Substance \ Inventory$

AICS - Australian Inventory of Chemical Substances

NZIOC - New Zealand Inventory of Chemicals

United States Federal Regulations

EPCRA

This product contains the following EPCRA Section 313 chemical subject to the reporting requirements of Section 313 of the Emergency Planning and Community Right-to-know Act of 1986 (40 CFR 372). This information must be included in all SDSs that are copied and distributed for this material.

| Chemical Name | CAS No | Weight-% | EPCRA 313 Threshold Value % |
|--------------------|---------|----------|-----------------------------|
| Phthalic anhydride | 85-44-9 | < 5 | 1.0 |

CERCLA

| Chemical Name | Hazardous Substances Reportable Quantity (RQ) |
|--------------------|---|
| Phthalic anhydride | RQ 5000 lb final RQ |
| 85-44-9 | RQ 2270 kg final RQ |

United States State Regulations

California Proposition 65

This product does not contain any Proposition 65 chemicals.

United States State Right-to-Know Regulations

| Chemical Name | California | Florida | Massachusetts | Minnesota | New Jersey | Pennsylvania |
|---|------------|---------|---------------|-----------|------------|--------------|
| Phthalic anhydride 85-44-9 | Х | Х | Х | Х | Х | Х |
| Benzyltriethylammonium chloride 56-37-1 | | | | | Х | X |

| 16. OTHER INFORMATION | | | | |
|---|----------------------------------|--------------------------------------|-------------------------------|---------------------------------------|
| <u>NFPA</u> | Health Hazards Not determined | Flammability Not determined | Instability Not determined | Special Hazards Not determined |
| <u>HMIS</u> | Health Hazards | Flammability 1 | Physical Hazards 0 | Personal Protection Not determined |
| Issue Date Revision Date Revision Note GHS Version | 21-Augu | ember-2001 ust-2020 ed/updated | | |

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guide for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

End of Safety Data Sheet